



A Safe Fleet Brand

CON-8004

Conduit Carrier-8'

Dimensional Specifications on Pages 2-4

Configuration as shown:


US Gen1, US Gen4, AluRack

Finish: White Powder Coat

Consolidated Hardware Kit: CON-8505

Conduit Splice Assembly: ACC-8103

Accessory Weight (empty): 37 lbs



**CONSOLIDATED MOUNTING BRACKET KIT INCLUDED*

Note: Includes Consolidated Mounting Bracket Kit to install onto Ergorack, AluRack, and Low Profile models

CON-8004

Conduit Carrier-8'

Shown mounted onto Gen 4 (Ford Transit Van)
Rack for illustrative purposes only





Approximate dimensions as shown:

A: Conduit Carrier Inside Width/Height	5"
B: Conduit Carrier Outside Width	5.25"
C: Conduit Carrier Total Width	8"
D: Conduit Carrier Total Length.....	110.75"
E: Conduit Carrier Usable Length	104"
F: Front Conduit Splice Usable Length	40"
G: Rear Conduit Splice Usable Length	64"
H: Conduit Carrier Height	6.75"
I: Mounting Bracket Maximum Width	8"
J: Minimum Required Space.....	9"

Note: Includes Consolidated Mounting Bracket
Kit to install onto Ergorack, AluRack, and Low
Profile models



If installing this Conduit Carrier Assembly
onto a Rotation-Rotation rack configuration,
a minimum of 7" spacing between the ends
of the Rotation Uppers is required.



CON-8004

Conduit Carrier-8'

Shown mounted onto Gen1 (GM Van) Rack for illustrative purposes only


Approximate dimensions as shown:

A: Conduit Carrier Inside Width/Height	5"
B: Conduit Carrier Outside Width	5.25"
C: Conduit Carrier Total Width	8"
D: Conduit Carrier Total Length	110.75"
E: Conduit Carrier Usable Length	104"
F: Front Conduit Splice Usable Length	40"
G: Rear Conduit Splice Usable Length	64"
H: Conduit Carrier Height	6.75"
I: Mounting Bracket Maximum Width	8'
J: Minimum Required Space	9"

Note: Includes Consolidated Mounting Bracket Kit to install onto Ergorack, AluRack, and Low Profile models



If installing this Conduit Carrier Assembly onto a Rotation-Rotation rack configuration, a minimum of 7" spacing between the ends of the Rotation Uppers is required.



*CONSOLIDATED MOUNTING BRACKET KIT INCLUDED

CON-8004

Conduit Carrier-8'

Shown mounted onto AluRack for illustrative purposes only

Approximate dimensions as shown:

A: Conduit Carrier Inside Width/Height	5"
B: Conduit Carrier Outside Width	5.25"
C: Conduit Carrier Total Width	8"
D: Conduit Carrier Total Length.....	110.75"
E: Conduit Carrier Usable Length	104"
F: Front Conduit Splice Usable Length	40"
G: Rear Conduit Splice Usable Length	64"
H: Conduit Carrier Height	6.75"
I: Mounting Bracket Maximum Width	8'
J: Minimum Required Space.....	N/A

Note: Includes Consolidated Mounting Bracket Kit to install onto Ergorack, AluRack, and Low Profile models

Assembly Manual also available:

CON-8004

USOV-CON8004-US01 Rev-B 0119



If installing this Conduit Carrier Assembly onto a Rotation-Rotation rack configuration, a minimum of 7" spacing between the ends of the Rotation Uppers is required.








Fig. 1



Allow no contact



*CONSOLIDATED MOUNTING BRACKET KIT INCLUDED

CON-8004

Conduit Carrier-8'

Shown mounted onto Low Profile Rack for illustrative purposes only


Approximate dimensions as shown:

A: Conduit Carrier Inside Width/Height	5"
B: Conduit Carrier Outside Width	5.25"
C: Conduit Carrier Total Width	8"
D: Conduit Carrier Total Length	110.75"
E: Conduit Carrier Usable Length	104"
F: Front Conduit Splice Usable Length	40"
G: Rear Conduit Splice Usable Length	64"
H: Conduit Carrier Height	6.75"
I: Mounting Bracket Maximum Width	8'
J: Minimum Required Space	9"

Note: Includes Consolidated Mounting Bracket Kit to install onto Ergorack, AluRack, and Low Profile models



If installing this Conduit Carrier Assembly onto a Rotation-Rotation rack configuration, a minimum of 7" spacing between the ends of the Rotation Uppers is required.



*CONSOLIDATED MOUNTING BRACKET KIT INCLUDED