A Safe Fleet Brand

## HBR-E-FT-HM

### ErgoRack, Ford Transit Mid/High Roof

Two Crossbars, Powder Coat Finish Rack Weight (empty): 81–88 lbs

\*Callouts in this Configuration Overview indicate full module assemblies only.

For details on individual parts, please refer to the linked Module Overviews below.

Modular Assembly Manuals


### ErgoRack Van—Load specifications:

Check vehicle manufacturer recommendations for roof capacity weight limits.

CROSSBAR SPACING	STEP LADDER	EXT. LADDER
4 ft Spacing	6 – 8 ft.	16 – 20 ft.
5 ft Spacing	8 – 10 ft.	16 – 24 ft.
6 ft Spacing	8 – 12 ft. <sup>+</sup>	16 – 28 ft.
7 ft Spacing	10 – 12 ft. <sup>+</sup>	20 – 32 ft.
8 ft Spacing	10 – 12 ft. <sup>+</sup>	20 – 36 ft.

<sup>†</sup>Rotation Configurations: 12 ft. step ladders require an extended upper add—on component.

\*Example shown with 130" Wheelbase Configuration



PRIME DESIGN, A SAFE FLEET BRAND • Address: 580 Opperman Drive, Eagan, MN 55123 • Toll Free: 1.8.PRIME.RACK • Fax: 651-552-1799 • Email: info@primedesign.net • Website: www.primedesign.net TM & © 2021 PRIME DESIGN. PROTECTED BY ONE OR MORE OF THE FOLLOWING PATENT NO.'S 6427889, 6764268, 6971563, 8991889, 9415726, 9506292, 9481313, 9776476, 9796340, 10470565, 10486608, 10501022 AND OTHER PATENTS PENDING

A Safe Fleet Brand

## HBR-E-FT-HM

# ErgoRack, Ford Transit Mid Roof Approximate dimensions as shown:

#### All Wheelbases

A: Rack Width	76"
B: Rack Height	16.50"
C: Rear Crossbar Offset (Left)	8"
D: Mount Bolt Spacing L/R	54"

### 130" Wheelbase


E: Total Crossbar	Spacing	6′
F: Rack Length		.105"

### 148" Wheelbase

G: Total Crossbar	Spacing	6'-8'
H: Rack Length		.129"

## Compatible Accessories Available (Sold Separately)

Retractable Ratchet Tie-Down	ACC-8000
Rear Access Ladder	AAL Series
8'-12' Conduit Carriers	CON Series
WorkPro LED Lighting	LED Series
Systems and Safety Components	RVS Series
Safety monitoring	DS2 Series



PRIME DESIGN, A SAFE FLEET BRAND • Address: 580 Opperman Drive, Eagan, MN 55123 • Toll Free: 1.8.PRIME.RACK • Fax: 651-552-1799 • Email: info@primedesign.net • Website: www.primedesign.net TM & © 2021 PRIME DESIGN. PROTECTED BY ONE OR MORE OF THE FOLLOWING PATENT NO.'s 6427889, 6764268, 6971563, 8991889, 9415726, 9506292, 9481313, 9776476, 9796340, 10470565, 10486608, 10501022 AND OTHER PATENTS PENDING

A Safe Fleet Brand

## HBR-E-FT-HM

# ErgoRack, Ford Transit High Roof *Approximate dimensions as shown:*

### All Wheelbases

A: Rack Width	76"
B: Rack Height1	6.50"
C: Rear Crossbar Offset (Left)	8"
D: Mount Bolt Spacing L/R	54"

### 130" Wheelbase


E: Total Crossbar	Spacing	6′
F: Rack Length		105"

### 148" Wheelbase

G: Total Crossbar	Spacing	6'-8'
H: Rack Length		129"

## Compatible Accessories Available (Sold Separately)

Retractable Ratchet Tie-Down	<u>ACC-8000</u>
Rear Access Ladder	AAL Series
8'-12' Conduit Carriers	CON Series
WorkPro LED Lighting	LED Series
Systems and Safety Components	RVS Series
Safety monitoring	DS2 Series



PRIME DESIGN, A SAFE FLEET BRAND • Address: 580 Opperman Drive, Eagan, MN 55123 • Toll Free: 1.8.PRIME.RACK • Fax: 651-552-1799 • Email: info@primedesign.net • Website: www.primedesign.net
TM & © 2021 PRIME DESIGN. PROTECTED BY ONE OR MORE OF THE FOLLOWING PATENT NO.'s 6427889, 6764268, 6971563, 8991889, 9415726, 9506292, 9481313, 9776476, 9796340, 10470565, 10486608, 10501022 AND OTHER PATENTS PENDING

A Safe Fleet Brand

## HBR-E-FT-HM

# ErgoRack, Ford Transit High Roof Approximate dimensions as shown:

### All Wheelbases


A: Rack Width	76"
B: Rack Height	16.50"
C: Rear Crossbar Offset (Left)	8"
D: Mount Bolt Spacing L/R	54"

### 148" Extended Wheelbase

E: Total	Crossbar	Spacing	8
F: Rack	Length		144"


## Compatible Accessories Available (Sold Separately)


Retractable Ratchet Tie-Down	ACC-8000
Rear Access Ladder	AAL Series
8'-12' Conduit Carriers	CON Series
WorkPro LED Lighting	LED Series
Systems and Safety Components	RVS Series
Safety monitoring	<u>DS2 Series</u>



Rear Drive Shaft Offset: 29"

Note: The end of the driveshaft must not extend beyond the vehicle bumper





PRIME DESIGN, A SAFE FLEET BRAND • Address: 580 Opperman Drive, Eagan, MN 55123 • Toll Free: 1.8.PRIME.RACK • Fax: 651-552-1799 • Email: info@primedesign.net • Website: www.primedesign.net TM & © 2021 PRIME DESIGN. PROTECTED BY ONE OR MORE OF THE FOLLOWING PATENT NO.'s 6427889, 6764268, 6971563, 8991889, 9415726, 9506292, 9481313, 9776476, 9796340, 10470565, 10486608, 10501022 AND OTHER PATENTS PENDING