

HRR-E-NV-HM

ErgoRack, Nissan NV

Two Crossbars, Powder Coat Finish
Rack Weight (empty): 116 lbs

*Callouts in this Configuration Overview indicate full module assemblies only.

For details on individual parts, please refer to the linked Module Overviews below.

- A: [FBM-1010-BLK Mounting System](#)
B: [CBA-3008 Hybrid Crossbar Assembly](#)
C: [FEA-0019 Rotation Driveshaft Assembly](#)
D: [FEA-0020 Rotation Driveshaft Assembly](#)

[Modular Assembly Manuals](#)


ErgoRack Van—Load specifications:

Check vehicle manufacturer recommendations for roof capacity weight limits.

CROSSBAR SPACING	STEP LADDER	EXT. LADDER
4 ft Spacing	6 – 8 ft.	16 – 20 ft.
5 ft Spacing	8 – 10 ft.	16 – 24 ft.
6 ft Spacing	8 – 12 ft. [†]	16 – 28 ft.
7 ft Spacing	10 – 12 ft. [†]	20 – 32 ft.
8 ft Spacing	10 – 12 ft. [†]	20 – 36 ft.

[†]Rotation Configurations: 12 ft. step ladders require an extended upper add-on component.

*Example shown with H1 (84" Roof Height) Configuration



HRR-E-NV-HM

ErgoRack, Nissan NV

Approximate dimensions as shown:

All Heights

A: Rack Width	79"
B: Rack Height	16.50"
C: Rear Crossbar Offset (L&R)	Even
D: Mount Spacing L/R.....	Set at install

H1 (84")

E: Total Crossbar Spacing.....	6'–8'
F: Rack Length	108"–132"


H2 (105")

G: Total Crossbar Spacing.....	6'–7'
H: Rack Length.....	105–117"

Compatible Accessories Available

(Sold Separately)

Rear Access Ladder.....	AAL Series
8'–12' Conduit Carriers.....	CON Series
WorkPro LED Lighting.....	LED Series
Systems and Safety Components	RVS Series
Safety monitoring.....	DS2 Series



Rear Drive Shaft Offset: 29"

Note: The end of the driveshaft must not extend beyond the vehicle bumper

