



PRIME DESIGN

A Safe Fleet Brand










Utility Roof Mount Frame Base Mounting Kit

Page 2 Packaging Contents
Pages 3-6 Utility Roof Mountings


CONTENTS OVERVIEW



1—FBM-1029-BLK.....(Qty 1) Utility Roof Mounts, with HKT-8266

NOTE: The M8 x 35MM and M8 x 45MM Mounting Bolts are available in the HKT-8266 Hardware Kit for varying mounting surfaces and thickness.






M8 x 35MM (8X)












Neoprene Washer (8X)

Sealing Washer (8X)

Lock Nut (8X)

2—Gen4 Crossbars (not shown above)...... (Qty 1) Ordered separately, Front & Rear, 84"-96"




UTILITY ROOF MOUNTINGS MOUNTING BRACKETS TO ROOF




72.00"-96.00"

Drill bolt holes according to the dimensions shown.



NOTE: The Rear Drive Shaft must not extend past the bumper of your vehicle. See Rear Drive Shaft Offset below for reference while placing your rack.





Rear Drive Shaft Offset

31.75" (approx.)

Do not mount the Crossbars to this FBM system at this time.

Refer to the respective FEA or AR Assembly Manual(s) included with your chosen rack configuration features. Depending upon the features chosen, you may need to perform a complete feature assembly onto the Crossbars or Side Rails as noted in that feature's Assembly Manual.

WARNING: Failure to position the Crossbars as shown in this FBM Assembly Manual may result in damage to the sliding door and/or ladder rack.

NOTE: Crossbars, Side Rails, Base, Clamp Down, or Rotation features are not included in this FBM kit, and must be purchased separately. To purchase applicable features and accessories, please contact your authorized distributor, or a Prime Design Sales & Service Representative.

