


PRIME DESIGN™

A Safe Fleet Brand




PRIME DESIGN RACK FBM-1019

PRIME DESIGN, A SAFE FLEET BRAND


Address: 580 Opperman Drive, Eagan, MN 55123 • Toll Free: 1.8.PRIME.RACK
Fax: 651-552-1799 • Email: info@primedesign.net • Website: www.primedesign.net

FBM-1019-BLK

Mounting Brackets shown in position on a generic cap for illustrative purposes only. Mounting Brackets must be located in Cap manufacturer's designated locations.




1—Mounting Brackets (Qty 4)






HKT-8165 Topper Mount Hardware Kit contains both 35MM and 45 MM M8 Hex Head Bolts to accommodate varying thicknesses in topper models.


FBM-1019-BLK
MOUNTING BRACKETS



1 Set mountings into pre-drilled holes as shown.




Anti-Seize
Must apply Anti-Seize Compound and torque to specified value.




Torque nuts to 90 in-lbs

2



Anti-Seize
Must apply Anti-Seize Compound and torque to specified value.



Torque nuts to 90 in-lbs

3


3

FBM-1019-BLK ASSEMBLY INSTRUCTIONS—CROSSBAR MOUNTINGS

PRIME DESIGN
A Safe Fleet Brand

MOUNTING

Shown with AluRack Pickup for illustrative purposes only



NOTE: Rack should be adjusted to attach the Mounts to Heavy Duty Crossbars only.

